

# INFORMATION FOR TECHNICAL REVIEW – SCRAP METAL SHREDDERS

## Guidance for Permit Applicants

The following information will be used for the technical review of a Permit to Install application for **scrap metal shredders**. This information is in addition to the general requirements outlined in the AQD document “Information for an Administratively Complete Permit to Install Application”, Part 2 - Additional Supporting Information, Items A through F. All the information may not be needed for each application. Also, this document may not be all inclusive. Additional information beyond that identified may be necessary to complete the technical review of any individual application. In the event a determination is made that new additional information is needed for a technical review, this document will be updated.

All referenced guidance documents are available on the Air Quality Division (AQD) website at [AQD Permits to Install / New Source Review](#) or you may contact the Permit Section at 517-284-6802.

### A. Process Description

Provide the following information:

1. Shredder throughput capacity in tons per hour and tons per year.
2. Description of all metal and non-metal separation processes following the shredder (i.e., magnetic separation, z-box, screens, eddy current separators, etc.).
3. Operating schedule, in hours per day, week, and year.
4. Source type and percentage of scrap metal proposed for processing (i.e., automobiles, appliances, turnings, busheling, etc.).
5. For new plants only, include a complete description of the process and copies of all plans, specifications, and site diagrams.
6. Power source for shredder and operations.
7. Size and height of shredded scrap metal piles and bunker capacity and side-wall dimensions for non-metal waste storage.

### B. Regulatory Discussion

The following state air pollution control regulations may be applicable. Please review these regulations carefully to determine if they apply to your process and summarize the results in the application. The Air Pollution Control Rules may be viewed from the [AQD website](#). Click on ‘State Air Laws and Rules.’

1. State of Michigan, Department of Environment, Great Lakes, and Energy, Act 451 of 1994, Natural Resources and Environmental Protection Act, Part 55 Air Pollution Control and the following promulgated rules:
  - a) Rules 215 and 216 apply to an existing facility which has a current Renewable Operating Permit (ROP). A Permit to Install issued for the installation of new equipment or modifications to existing equipment is incorporated into an ROP pursuant to Rules 215 and 216.
  - b) If the process or equipment was installed or modified after April 17, 1992, Rules 224 – 230 apply. Rule 224 requires the application of Best Available Control Technology for toxics (T-BACT) for all non-VOC toxic air contaminants (TACs). T-BACT does not apply to emissions of VOCs. Rule 225 limits the emission impacts of TACs and requires a demonstration that the proposed emission of each TAC complies with a health-based screening level. Compliance can be demonstrated using any of three methods described in Rule 227(1) including the use of computerized dispersion modeling. Refer to “Guidelines for Conducting a Rule 224 T-BACT Analysis,” “TACs-Demonstrating Compliance with Rule 225,” and “Dispersion Modeling Guidance” for additional detailed information.
  - c) Rule 301 specifies that a process or process equipment shall not discharge visible emissions of a density greater than the most stringent of a 6-minute average of 20% opacity, or a limit specified by an applicable federal NSPS, or as a condition of a Permit to Install.

- d) Rule 331 specifies a maximum allowable particulate emission rate for incinerators if no federal limit applies.
  - e) If the process or equipment was installed or modified after August 1, 1979, Rule 702 applies. This rule requires Best Available Control Technology (BACT) for new sources of VOCs. Refer to “Guidelines for Conducting a Rule 702 BACT Analysis” for additional detailed information.
  - f) Rule 901 prohibits emissions of an air contaminant in quantities that cause either a) injurious effects to human health or safety, animal life, plant life of significant economic value, or property; or b) unreasonable interference with the comfortable enjoyment of life and property. Submit the following to address this rule:  

*A description of the continuous fugitive dust control program used to control dust from the plant, roads, and yard during operation of the facility.*
  - g) Rule 911 allows the Department to request a person to submit preventative maintenance and malfunction abatement program(s) for the process, emission control system(s), and monitoring system(s).
2. The PSD increments (40 CFR 52.21 (c)) and the NAAQS (40 CFR 52.21(d)) apply to all sources throughout the United States, regardless of size. Compliance with these air quality standards can be demonstrated using computerized dispersion modeling. An applicant for a PSD permit is required to submit PSD increment modeling for PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub>, and NAAQS modeling for PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub>, CO, Ozone, and Lead as part of the application. Modeling for sources not subject to PSD may be done by the AQD. Refer to “Dispersion Modeling Guidance” for additional detailed information.
  3. Section 112(g) regulations of the federal Clean Air Act (CAA) require any constructed or reconstructed major source of Hazardous Air Pollutants (HAPs) be equipped with Maximum Achievable Control Technology (MACT) for individual and total HAPs greater than 10 and 25 tons per year, respectively, if a specific MACT does not apply. Refer to “Guidelines for Conducting a 112(g) Analysis” and Policy and Procedure AQD-015 [Procedure for Processing PTI Applications Subject to Federal Clean Air Act Section 112\(g\)](#) for additional detailed information.

## C. Control Technology Analysis

1. Describe the scrubber or fabric filter collector for particulate control. Provide all the information requested on the information sheets for scrubbers or fabric filter collectors (available separately).
2. Describe any other emission control equipment for the shredder operation, including both the expected efficiency and the guaranteed efficiency (in percent) for each pollutant controlled.
3. Rule 702 BACT applies to all sources of VOCs proposed to be installed within the State of Michigan. A Rule 702 BACT analysis is very similar to a PSD top-down BACT analysis. Michigan’s air pollution control rules also define BACT as an emission limit. Rule 702 BACT should be applied on a flexible grouping of equipment – subdivisions of emission units and/or groupings of emission units – if it is logical to do so. Logical means that the principles on which the groupings (or subdivisions) are made are consistent with federal guidance and sound engineering practices. Refer to “Instructions for Conducting a 702 BACT Analysis” for additional detailed information.
4. Best Available Control Technology for Toxics (T-BACT) means the maximum degree of emission reduction which the Department determines is reasonably achievable for each process that emits toxic air contaminants (TACs) considering energy, environmental and economic impacts, and other costs. T-BACT does not apply to VOCs. The analysis must be specific to the process and the TACs subject to a T-BACT review. T-BACT limits can be expressed as an emission limit, control equipment requirements, and/or work practice standards. Refer to “Guidelines for Conducting a Rule 224 T-BACT Analysis” for additional detailed information.
5. Lowest achievable emission rate (LAER) applies to a major source and/or a major modification at a source located in a non-attainment area. Please see the [Attainment Status Map](#) on the [AQD website](#) for the current nonattainment status in Michigan. LAER is defined as the lowest emission limitation contained in any State Implementation Plan (SIP) or the lowest emission limitation achieved in practice. Such an emission limit is presumed to be LAER for that source class and category. If an applicant proposes to meet this presumptive LAER, no site-specific control technology determination will be necessary. When an applicant believes the presumptive LAER limit is not achievable, a site-specific determination is required. This determination should include consideration of raw material changes, process changes, and add-on control equipment. The cost of these changes is not considered. Raw material and process changes should be evaluated through technology transfer (i.e., the likelihood that such a change will transfer from one industry to another), based on the manufacture of similar products or use of similar raw materials or fuels. Add-on controls should be evaluated based on the physical and chemical characteristics of the pollutant-bearing exhaust stream.

## D. Emissions Summary and Calculations

Estimate the maximum uncontrolled and controlled emission rates of each of the following pollutants, in pounds per hour and tons per year. Provide all assumptions, calculations, stack tests, and other documentation used to derive these estimates.

1. Particulate matter as total suspended particulate
2. Particulate matter as PM<sub>10</sub> (particulate diameter less than 10 microns)
3. Particulate matters as PM<sub>2.5</sub> (particulate diameter less than 2.5 microns)
4. Sulfur dioxide (SO<sub>2</sub>)
5. Nitrogen oxides, expressed as NO<sub>2</sub>
6. Carbon monoxide (CO)
7. VOCs
8. Lead (Pb)
9. TACS

This publication is intended for guidance only and may be impacted by changes in legislation, rules, policies, and procedures adopted after the date of publication. Although this publication makes every effort to teach users how to meet applicable compliance obligations, use of this publication does not constitute the rendering of legal advice.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations.